

ŠOLSKI CENTER NOVA GORICA



ŠC Nova Gorica  
ELEKTROTEHNIŠKA IN RAČUNALNIŠKA ŠOLA

SEMINARSKA NALOGA

# Slideshows

PROF.: Aljaž Starc  
SMER: Tehnik Računalništva (nadaljevalni program)  
RAZRED: 4NR  
DIJAK: Aljaž Starc

Šmarje Pri Sežani - maj, 2020

## KAZALO

<b>KAZALO</b> .....	<b>2</b>
<b>UVOD</b> .....	<b>3</b>
<b>TEORETIČNA IZGODIŠČA</b> .....	<b>4</b>
<b>KONCEPTUALNI MODEL</b> .....	<b>5</b>
DIA .....	5
<b>LOGICNI MODEL</b> .....	<b>6</b>
DBDESIGNER .....	6
<b>FIZIČNI MODEL</b> .....	<b>7</b>
PHPMYADMIN DESIGNER .....	7
<b>UKAZI ZA KREACIJO PODATKOVNE ZBIRKE</b> .....	<b>9</b>
<b>UKAZI ZA VPIS PODATKOV V PODATKOVNO ZBIRKO</b> .....	<b>10</b>
TABELA »SLIDESHOWS«.....	10
TABELA »SLIDESHOWS_VIEWERS_USERS«.....	11
TABELA »UPLOADS«.....	11
TABELA »USERS«.....	12

## UVOD

Seminaska naloga opisuje model SQL sheme za preprosto "slideshows" aplikacijo. Vsebuje tri tabele in nekaj več relacij med njimi.


Za kreacijo konceptualnega modela sem uporabil orodje DIA, za logični model programsko orodje SQLDeveloper, za fizični model ter končno izvedmo podatkovne baze pa spletno programsko orodje phpMyAdmin. Shemo sem med koraki malo spreminjal / popravil / izboljšal, zato se podatki ne popolnoma ujemajo med posameznimi posnetku zaslona

## TEORETIČNA IZGODIŠČA

1. Imamo tri tabele; »users«, »uploads« ter »slideshows«
  - a. »users« tabela vsebuje uporabnike. Vsak uporabnik ima:
    - i. Id - Number - Identifikator, unikaten ter primarni ključ
    - ii. Email - String - vsebuje uporabnikov email naslov
    - iii. Name\_first - String - vsebuje uporabnikovo ime
    - iv. Name\_last - String - Vsebuje uporabnikov priimek
    - v. Date\_registred - Date - Vsebuje datum, ko je bil uporabnik registriran
    - vi. profilePictureUploadId - String - vsebuje ID nalozene datoteke, ki je uporabljena kot profilna slika uporabnika – Relacija na “uploads.id”
  - b. “uploads” tabela vsebuje nalaganja. Vsaka nalozena datoteka ima:
    - i. Id – Number – identifikator, unikaten ter primarni ključ
    - ii. Uploaded – Datetime – datum in ura, ko je bila datoteka nalozena
    - iii. Path – String - relativna pot datoteke na datotecnem sistemu gostujočega streznika
    - iv. Name – String – Ime datoteke
    - v. Owner – number – ID uporabnika, ki je datoteko naložil. Relacija na “users.id”
  - c. “slideshows” tabela vsebuje predstavitev. Vsaka predstavitev ima:
    - i. Id – number – unikater ter primaren ključ
    - ii. ThumbnailId – Number – Id nalozene datoteke, ki je uporabljena kot naslovna slika predstavitev. Relacija na “uploads.id”
    - iii. Slides – TEXT – JSON object array, ki vsebuje objekte prosojnic
    - iv. Created – datetime – datum in cas ko je bila predstavitev ustvarjena
    - v. Updated – datetime – datum in cas zadnje spremembe predstavitev
    - vi. Title – String – Naslov predstavitev
    - vii. Ownerid – Number – ID nastnika predstavitev. Relacija na »users.id«


# Konceptualni model

DIA




# Logicni model

Dbdesigner



# FIZIČNI MODEL

phpMyAdmin designer



# ajaxus\_solaNup5

## slideshows

Column	Type	Null	Default	Comments
id ( <i>Primary</i> )	int(11)	No		
slides	text	No		
slideshow_owner	int(11)	No		The owner's ID
created	timestamp	Yes	<i>NULL</i>	the timestamp representing the time of slideshow creating
updated	timestamp	Yes	CURRENT_TIMESTAMP	Timestamp which is updated every time the slideshow row is changed
thumbnail	int(11)	No		The ID of the upload used as slideshow thumbnail
title	varchar(128)	No		The slideshows title

## Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
thumbnail	BTREE	No	No	thumbnail	0	A	No	
slideshows_ownerid	BTREE	No	No	slideshow_owner	0	A	No	

## slideshows\_viewers\_users

Column	Type	Null	Default	Comments
slideshow_id	int(11)	No		
user_id	int(11)	No		

## Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
user_id	BTREE	No	No	user_id	0	A	No	
				slideshow_id	0	A	No	
slideshow_id	BTREE	No	No	slideshow_id	0	A	No	

## uploads

Column	Type	Null	Default	Comments
id ( <i>Primary</i> )	int(11)	No		
uploaded	timestamp	No	CURRENT_TIMESTAMP	The exact timestamp when the asset was uploaded
path	varchar(256)	No		Upload's relative path on the hosting server filesystem
name	varchar(128)	No		Upload's filename
owner	int(11)	No		Uploads's owner ID

## Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
owner	BTREE	No	No	owner	0	A	No	

## users

Column	Type	Null	Default	Comments
id ( <i>Primary</i> )	int(11)	No		
username	varchar(32)	No		
email	varchar(32)	No		User's full email address
name_first	varchar(32)	No		User's first name
name_last	varchar(32)	No		User's last name
registred	timestamp	No	CURRENT_TIMESTAMP	The time of user creation
profilepicture	int(11)	Yes	<i>NULL</i>	The upload.id of the user's profile picture

## Indexes

Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
PRIMARY	BTREE	Yes	No	id	0	A	No	
username	BTREE	Yes	No	username	0	A	No	
				email	0	A	No	
profilepicture	BTREE	No	No	profilepicture	0	A	Yes	



## UKAZI ZA KREACIJO PODATKOVNE ZBIRKE

```
1 CREATE TABLE `slideshows` (  
2   `id` int(11) NOT NULL,  
3   `slides` text NOT NULL,  
4   `slideshow_owner` int(11) NOT NULL COMMENT 'The owner's ID',  
5   `created` timestamp NULL DEFAULT NULL COMMENT 'the timestamp representing the time of slideshow creating',  
6   `updated` timestamp NULL DEFAULT CURRENT_TIMESTAMP ON UPDATE CURRENT_TIMESTAMP COMMENT 'Timestamp which is updated every time the slideshow row is changed',  
7   `thumbnail` int(11) NOT NULL COMMENT 'The ID of the upload used as slideshow thumbnail',  
8   `title` varchar(128) NOT NULL COMMENT 'The slideshows title'  
9 ) ENGINE=InnoDB DEFAULT CHARSET=latin1;  
10  
11 CREATE TABLE `slideshows_viewers_users` (  
12   `user_id` int(11) NOT NULL,  
13   `slideshow_id` int(11) NOT NULL  
14 ) ENGINE=InnoDB DEFAULT CHARSET=latin1;  
15  
16 CREATE TABLE `uploads` (  
17   `id` int(11) NOT NULL,  
18   `uploaded` timestamp NOT NULL DEFAULT CURRENT_TIMESTAMP COMMENT 'The exact timestamp when the asset was uploaded',  
19   `path` varchar(256) NOT NULL COMMENT 'Upload's relative path on the hosting server filesystem',  
20   `name` varchar(128) NOT NULL COMMENT 'Upload's filename',  
21   `owner` int(11) NOT NULL COMMENT 'Uploads's owner ID'  
22 ) ENGINE=InnoDB DEFAULT CHARSET=latin1;  
23  
24 CREATE TABLE `users` (  
25   `id` int(11) NOT NULL,  
26   `username` varchar(32) NOT NULL,  
27   `email` varchar(32) NOT NULL COMMENT 'User's full email address',  
28   `name_first` varchar(32) NOT NULL COMMENT 'User's first name',  
29   `name_last` varchar(32) NOT NULL COMMENT 'User's last name',  
30   `registred` timestamp NOT NULL DEFAULT CURRENT_TIMESTAMP COMMENT 'The time of user creation',  
31   `profilepicture` int(11) DEFAULT NULL COMMENT 'The upload.id of the user's profile picture'  
32 ) ENGINE=InnoDB DEFAULT CHARSET=latin1;  
33  
34 ALTER TABLE `slideshows` ADD PRIMARY KEY (`id`), ADD KEY `thumbnail` (`thumbnail`), ADD KEY `slideshows_ownerid` (`slideshow_owner`) USING BTREE;  
35 ALTER TABLE `slideshows_viewers_users` ADD KEY `user_id` (`user_id`,`slideshow_id`), ADD KEY `slideshow_id` (`slideshow_id`);  
36 ALTER TABLE `uploads` ADD PRIMARY KEY (`id`), ADD KEY `upload_owner` (`owner`);  
37 ALTER TABLE `users` ADD PRIMARY KEY (`id`), ADD UNIQUE KEY `username` (`username`,`email`), ADD KEY `profilepicture` (`profilepicture`);  
38 ALTER TABLE `slideshows` MODIFY `id` int(11) NOT NULL AUTO_INCREMENT;  
39 ALTER TABLE `uploads` MODIFY `id` int(11) NOT NULL AUTO_INCREMENT;  
40 ALTER TABLE `users` MODIFY `id` int(11) NOT NULL AUTO_INCREMENT;  
41  
42 ALTER TABLE `slideshows`  
43   ADD CONSTRAINT `slideshows_ibfk_1` FOREIGN KEY (`slideshow_owner`) REFERENCES `users` (`id`) ON DELETE NO ACTION ON UPDATE NO ACTION,  
44   ADD CONSTRAINT `slideshows_ibfk_2` FOREIGN KEY (`thumbnail`) REFERENCES `uploads` (`id`) ON DELETE NO ACTION ON UPDATE NO ACTION;  
45  
46 ALTER TABLE `slideshows_viewers_users`  
47   ADD CONSTRAINT `slideshows_viewers_users_ibfk_2` FOREIGN KEY (`slideshow_id`) REFERENCES `slideshows` (`id`),  
48   ADD CONSTRAINT `slideshows_viewers_users_ibfk_1` FOREIGN KEY (`user_id`) REFERENCES `users` (`id`);  
49  
50 ALTER TABLE `uploads` ADD CONSTRAINT `uploads_ibfk_1` FOREIGN KEY (`id`) REFERENCES `users` (`profilepicture`);  
51 ALTER TABLE `users` ADD CONSTRAINT `users_ibfk_1` FOREIGN KEY (`id`) REFERENCES `uploads` (`owner`) ON DELETE NO ACTION ON UPDATE NO ACTION;  
52
```

## Ukazi za vpis podatkov v podatkovno zbirko

### OPOZORILO

Zaradi strukture podatkovne base (relacij, bolj specifično) se v podatkovno bazo ne da kar vstaviti podatke naenkrat

### Tabela »slideshows«

```
1 INSERT INTO `slideshows` (`id`, `title`, `slides`, `slideshow_owner`, `created`, `updated`, `thumbnail`) VALUES
2 (1, 'Binova prezentacija', '{text:\slide no. 1\}', {text:\slide no. 2\}, {text:\slide no. 3\},
3 {text:\slide no. 4\}, {text:\slide no. 5\}'], 4, NULL, '2020-05-12 09:43:53', 6),
4 (2, 'New slideshow 1', '{text:\slide no. 1\}', {text:\slide no. 2\}, {text:\slide no. 3\},
5 {text:\slide no. 4\}, {text:\slide no. 5\}'], 1, NULL, '2020-05-12 09:43:53', 6),
6 (3, 'Dogs', '{text:\slide no. 1\}', {text:\slide no. 2\}, {text:\slide no. 3\},
7 {text:\slide no. 4\}, {text:\slide no. 5\}'], 7, NULL, '2020-05-12 09:59:14', 16),
8 (4, 'Cats', '{text:\slide no. 1\}', {text:\slide no. 2\}, {text:\slide no. 3\},
9 {text:\slide no. 4\}, {text:\slide no. 5\}'], 12, NULL, '2020-05-12 09:59:14', 14),
10 (5, '\džif\ or \ghif\ ?', '{text:\slide no. 1\}', {text:\slide no. 2\}, {text:\slide no. 3\},
11 {text:\slide no. 4\}, {text:\slide no. 5\}'], 6, NULL, '2020-05-12 09:59:14', 10),
12 (6, 'Cycling', '{text:\slide no. 1\}', {text:\slide no. 2\}, {text:\slide no. 3\},
13 {text:\slide no. 4\}, {text:\slide no. 5\}'], 12, NULL, '2020-05-12 09:59:14', 13),
14 (7, 'Memes in the current age', '{text:\slide no. 1\}', {text:\slide no. 2\}, {text:\slide no. 3\},
15 {text:\slide no. 4\}, {text:\slide no. 5\}'], 8, NULL, '2020-05-12 09:59:14', 7),
16 (8, 'Random characters . exe', '{text:\slide no. 1\}', {text:\slide no. 2\}, {text:\slide no. 3\},
17 {text:\slide no. 4\}, {text:\slide no. 5\}'], 5, NULL, '2020-05-12 09:59:14', 12),
18 (9, 'Image', '{text:\slide no. 1\}', {text:\slide no. 2\}, {text:\slide no. 3\},
19 {text:\slide no. 4\}, {text:\slide no. 5\}'], 6, NULL, '2020-05-12 09:59:14', 7),
20 (10, 'Presentation', '{text:\slide no. 1\}', {text:\slide no. 2\}, {text:\slide no. 3\},
21 {text:\slide no. 4\}, {text:\slide no. 5\}'], 12, NULL, '2020-05-12 09:59:14', 6),
22 (11, 'Presentation 1', '{text:\slide no. 1\}', {text:\slide no. 2\}, {text:\slide no. 3\},
23 {text:\slide no. 4\}, {text:\slide no. 5\}'], 3, NULL, '2020-05-12 09:59:14', 6);
```

```
INSERT INTO `slideshows` (`id`, `title`, `slides`, `slideshow_owner`, `created`, `updated`, `thumbnail`) VALUES
(1, 'Binova prezentacija', '{text:\slide no. 1\}', {text:\slide no. 2\}, {text:\slide no. 3\},
{text:\slide no. 4\}, {text:\slide no. 5\}'], 4, NULL, '2020-05-12 09:43:53', 6),
(2, 'New slideshow 1', '{text:\slide no. 1\}', {text:\slide no. 2\}, {text:\slide no. 3\},
{text:\slide no. 4\}, {text:\slide no. 5\}'], 1, NULL, '2020-05-12 09:43:53', 6),
(3, 'Dogs', '{text:\slide no. 1\}', {text:\slide no. 2\}, {text:\slide no. 3\},
{text:\slide no. 4\}, {text:\slide no. 5\}'], 7, NULL, '2020-05-12 09:59:14', 16),
(4, 'Cats', '{text:\slide no. 1\}', {text:\slide no. 2\}, {text:\slide no. 3\},
{text:\slide no. 4\}, {text:\slide no. 5\}'], 12, NULL, '2020-05-12 09:59:14', 14),
(5, '\džif\ or \ghif\ ?', '{text:\slide no. 1\}', {text:\slide no. 2\}, {text:\slide no. 3\},
{text:\slide no. 4\}, {text:\slide no. 5\}'], 6, NULL, '2020-05-12 09:59:14', 10),
(6, 'Cycling', '{text:\slide no. 1\}', {text:\slide no. 2\}, {text:\slide no. 3\},
{text:\slide no. 4\}, {text:\slide no. 5\}'], 12, NULL, '2020-05-12 09:59:14', 13),
(7, 'Memes in the current age', '{text:\slide no. 1\}', {text:\slide no. 2\}, {text:\slide no. 3\},
{text:\slide no. 4\}, {text:\slide no. 5\}'], 8, NULL, '2020-05-12 09:59:14', 7),
(8, 'Random characters . exe', '{text:\slide no. 1\}', {text:\slide no. 2\}, {text:\slide no. 3\},
{text:\slide no. 4\}, {text:\slide no. 5\}'], 5, NULL, '2020-05-12 09:59:14', 12),
(9, 'Image', '{text:\slide no. 1\}', {text:\slide no. 2\}, {text:\slide no. 3\},
{text:\slide no. 4\}, {text:\slide no. 5\}'], 6, NULL, '2020-05-12 09:59:14', 7),
(10, 'Presentation', '{text:\slide no. 1\}', {text:\slide no. 2\}, {text:\slide no. 3\},
{text:\slide no. 4\}, {text:\slide no. 5\}'], 12, NULL, '2020-05-12 09:59:14', 6),
(11, 'Presentation 1', '{text:\slide no. 1\}', {text:\slide no. 2\}, {text:\slide no. 3\},
{text:\slide no. 4\}, {text:\slide no. 5\}'], 3, NULL, '2020-05-12 09:59:14', 6);
```

## Tabela »slideshows\_viewers\_users«



```
1 INSERT INTO `slideshows_viewers_users` (`slideshow_id`, `user_id`) VALUES
2 (1, 1), (1, 2), (1, 3), (2, 3), (2, 4), (1, 5),
3 (2, 5), (1, 6), (2, 6), (1, 7), (1, 8), (1, 9);
```

```
INSERT INTO `slideshows_viewers_users` (`slideshow_id`, `user_id`) VALUES
```

```
(1, 1), (1, 2), (1, 3), (2, 3), (2, 4), (1, 5),
(2, 5), (1, 6), (2, 6), (1, 7), (1, 8), (1, 9);
```

## Tabela »uploads«



```
1 INSERT INTO `uploads` (`id`, `uploaded`, `path`, `name`, `owner`) VALUES
2 (3, '2020-05-12 09:31:43', '2020-05-12-11-30-54-profile-picture.png', 'profile-picture.png', 1),
3 (4, '2020-05-12 09:31:43', '2020-05-12-11-32-23-demo-selfie.jpeg', 'demo-selfie.jpeg', 2),
4 (5, '2020-05-12 09:32:31', '2020-05-12-11-36-51-default-profile-picture.jpg', 'default-profile-picture.jpg', 1),
5 (6, '2020-05-12 09:43:11', '2020-05-12-11-30-54-default-slideshow-thumbnail.png', 'default-slideshow-thumbnail.png', 1),
6 (7, '2020-05-12 09:53:32', '2020-05-12-11-50-11-justanotherimagefile.png', 'justanotherimagefile.png', 9),
7 (8, '2020-05-12 09:53:32', '2020-05-12-11-50-11-presentation.pptx', 'presentation.pptx', 7),
8 (9, '2020-05-12 09:53:32', '2020-05-12-11-50-11-idontwannadothis.png.exe', 'idontwannadothis.png.exe', 11),
9 (10, '2020-05-12 09:53:32', '2020-05-12-11-50-11-kek.gif', 'kek.gif', 8),
10 (11, '2020-05-12 09:53:32', '2020-05-12-11-50-11-towers.pdf', 'towers.pdf', 10),
11 (12, '2020-05-12 09:53:32', '2020-05-12-11-50-11-ad198bn1209da-ad-012.jpg', 'ad198bn1209da-ad-012.jpg', 5),
12 (13, '2020-05-12 09:53:32', '2020-05-12-11-50-11-johanna-on-a-bike.jpeg', 'johanna-on-a-bike.jpeg', 11),
13 (14, '2020-05-12 09:53:32', '2020-05-12-11-50-11-cat.png', 'cat.png', 8),
14 (15, '2020-05-12 09:53:32', '2020-05-12-11-50-11-attachment.pdf', 'attachment.pdf', 3),
15 (16, '2020-05-12 09:53:32', '2020-05-12-11-50-11-dog.jpeg', 'dog.jpeg', 8);
```

```
INSERT INTO `uploads` (`id`, `uploaded`, `path`, `name`, `owner`) VALUES
```

```
(3, '2020-05-12 09:31:43', '2020-05-12-11-30-54-profile-picture.png', 'profile-picture.png', 1),
(4, '2020-05-12 09:31:43', '2020-05-12-11-32-23-demo-selfie.jpeg', 'demo-selfie.jpeg', 2),
(5, '2020-05-12 09:32:31', '2020-05-12-11-36-51-default-profile-picture.jpg', 'default-profile-picture.jpg', 1),
(6, '2020-05-12 09:43:11', '2020-05-12-11-30-54-default-slideshow-thumbnail.png', 'default-slideshow-
thumbnail.png', 1),
(7, '2020-05-12 09:53:32', '2020-05-12-11-50-11-justanotherimagefile.png', 'justanotherimagefile.png', 9),
(8, '2020-05-12 09:53:32', '2020-05-12-11-50-11-presentation.pptx', 'presentation.pptx', 7),
(9, '2020-05-12 09:53:32', '2020-05-12-11-50-11-idontwannadothis.png.exe', 'idontwannadothis.png.exe', 11),
(10, '2020-05-12 09:53:32', '2020-05-12-11-50-11-kek.gif', 'kek.gif', 8),
(11, '2020-05-12 09:53:32', '2020-05-12-11-50-11-towers.pdf', 'towers.pdf', 10),
(12, '2020-05-12 09:53:32', '2020-05-12-11-50-11-ad198bn1209da-ad-012.jpg', 'ad198bn1209da-ad-012.jpg', 5),
(13, '2020-05-12 09:53:32', '2020-05-12-11-50-11-johanna-on-a-bike.jpeg', 'johanna-on-a-bike.jpeg', 11),
(14, '2020-05-12 09:53:32', '2020-05-12-11-50-11-cat.png', 'cat.png', 8),
(15, '2020-05-12 09:53:32', '2020-05-12-11-50-11-attachment.pdf', 'attachment.pdf', 3),
(16, '2020-05-12 09:53:32', '2020-05-12-11-50-11-dog.jpeg', 'dog.jpeg', 8);
```

## Tabela »users«

```
1 INSERT INTO `users` (`id`, `username`, `email`, `name_first`, `name_last`, `registred`, `profilepicture`) VALUES
2 (1, 'aljaxus', 'me@aljaxus.eu', 'Aljaz', 'Starc', '2020-05-12 09:30:14', 3),
3 (2, 'demo', 'demo@demo.com', 'Demo', 'Account', '2020-05-12 09:30:14', 4),
4 (3, 'peter.klepec', 'peter.klepec@siol.net', 'Petek', 'Klepec', '2020-05-12 09:34:29', 5),
5 (4, 'bine69', 'bine69@gmail.com', 'Bine', 'Krap', '2020-05-12 09:34:29', 5),
6 (5, 'Gwen90', 'Gwen_Senger@gmail.com', 'Gwen', 'Senger', '2020-05-12 09:49:05', 6),
7 (6, 'Joanie_VonRueden62', 'Joanie14@yahoo.com', 'Joanie', 'VonRueden', '2020-05-12 09:49:05', 6),
8 (7, 'Theresia.Klocko', 'Theresia.Klocko@hotmail.com', 'Theresia', 'Klocko', '2020-05-12 09:49:05', 6),
9 (8, 'Jonathan89', 'Jonathan_Hoppe@gmail.com', 'Jonathan', 'Hoppe', '2020-05-12 09:49:05', 6),
10 (9, 'Zion69', 'Zion.Howe2@hotmail.com', 'Zion', 'Howe MD', '2020-05-12 09:49:05', 6),
11 (10, 'Nicolette16', 'Nicolette.Hoppe@gmail.com', 'Nicolette', 'Hoppe', '2020-05-12 09:49:05', 6),
12 (11, 'Juanita_Kessler', 'Juanita33@gmail.com', 'Dr. Juanita', 'Kessler', '2020-05-12 09:49:05', 6),
13 (12, 'Luther_Beer', 'Luther.Beer70@yahoo.com', 'Luther', 'Beer', '2020-05-12 09:49:05', 6);
```

```
INSERT INTO `users` (`id`, `username`, `email`, `name_first`, `name_last`, `registred`, `profilepicture`) VALUES
(1, 'aljaxus', 'me@aljaxus.eu', 'Aljaz', 'Starc', '2020-05-12 09:30:14', 3),
(2, 'demo', 'demo@demo.com', 'Demo', 'Account', '2020-05-12 09:30:14', 4),
(3, 'peter.klepec', 'peter.klepec@siol.net', 'Petek', 'Klepec', '2020-05-12 09:34:29', 5),
(4, 'bine69', 'bine69@gmail.com', 'Bine', 'Krap', '2020-05-12 09:34:29', 5),
(5, 'Gwen90', 'Gwen_Senger@gmail.com', 'Gwen', 'Senger', '2020-05-12 09:49:05', 6),
(6, 'Joanie_VonRueden62', 'Joanie14@yahoo.com', 'Joanie', 'VonRueden', '2020-05-12 09:49:05', 6),
(7, 'Theresia.Klocko', 'Theresia.Klocko@hotmail.com', 'Theresia', 'Klocko', '2020-05-12 09:49:05', 6),
(8, 'Jonathan89', 'Jonathan_Hoppe@gmail.com', 'Jonathan', 'Hoppe', '2020-05-12 09:49:05', 6),
(9, 'Zion69', 'Zion.Howe2@hotmail.com', 'Zion', 'Howe MD', '2020-05-12 09:49:05', 6),
(10, 'Nicolette16', 'Nicolette.Hoppe@gmail.com', 'Nicolette', 'Hoppe', '2020-05-12 09:49:05', 6),
(11, 'Juanita_Kessler', 'Juanita33@gmail.com', 'Dr. Juanita', 'Kessler', '2020-05-12 09:49:05', 6),
(12, 'Luther_Beer', 'Luther.Beer70@yahoo.com', 'Luther', 'Beer', '2020-05-12 09:49:05', 6);
```